


**PERATURAN PEMARKAHAN
PEPERIKSAAN PERCUBAAN SPM TAHUN 2024
YAYASAN ISLAM KELANTAN**

**MATEMATIK TAMBAHAN
KERTAS 2**

NO.		PERATURAN PEMARKAHAN	SUB-MARKAH	MARKAH PENUH
BAHAGIAN A				
1	(a)	$m + n = -\frac{b}{a} \text{ atau } mn = \frac{c}{a}$ $mn \times -\frac{1}{m+n}$ $-\frac{mn}{m+n}$	P1 K1 N1	7
	(b)	$-3 \left[x^2 + 2x + \left(\frac{2}{2}\right)^2 - \left(\frac{2}{2}\right)^2 \right] + 7$ $10 - 3(x+1)^2$ $10 - 3(x+1)^2 = 1$ $x = -1 + \sqrt{3} \text{ dan } x = -1 - \sqrt{3}$	K1 N1 K1 N1	
2	(a)	$m_{MC} \times -\frac{2}{3} = -1$ $y - 4 = \frac{3}{2}(x - 6)$ <i>Hapuskan 1 pembolehubah ,</i> $3x - 4\left(\frac{3}{2}x - 5\right) - 8 = 0 \text{ atau setara}$ $M(4,1)$	K1 K1 K1 N1	7
	(b)	$\sqrt{(6-4)^2 + (4-1)^2} \text{ atau } \sqrt{(x-4)^2 + (y-6)^2}$ $\sqrt{(6-4)^2 + (4-1)^2} = \sqrt{(x-4)^2 + (y-6)^2}$ $x^2 + y^2 - 8x - 12y + 39 = 0$	K1 K1 N1	


3	(a)	(i)	$f^{-1}(x) = \frac{x+7}{3}$	N1	8
		(ii)	$3(3x-7)-7$ $9\left(\frac{2s}{3}\right)-28=8$ $s=6$	K1 K1 N1	
	(b)	(i)	$4(2t+3)^2+3$ $Vh(t)=16t^2+48t+39$	K1 N1	
		(ii)	$Vh(t)=16t^2+48t+39$ 39	K1 N1	
4	(a)		$x \log 0.62 > \log 3$ $x < -2.30$	K1 N1	7
	(b)		$\log_9 x + \log_9 y = m$ atau $\log_9 x - \log_9 y = n$ Hapuskan satu pembolehubah $2 \log_9 x = m + n$ atau setara $x = 3^{m+n}$ $\frac{m+n}{2} - \log_9 y = n$ $y = 3^{m-n}$	K1 K1 N1 K1 N1	
5	(a)		$\frac{1}{2}(2n)(n-x)$ atau $\frac{1}{2}(x)(2n-2x)$ atau $\frac{1}{2}(2x)(n)$ atau $(2n)(n)$ $(2n)(n) - \frac{1}{2}(2n)(n-x) - \frac{1}{2}(x)(2n-2x) - \frac{1}{2}(2x)(n)$ $(n^2 - nx + x^2)$	K1 K1 N1	7
	(b)		$\frac{dLuas}{dx} = -n + 2x$ dan samakan dengan 0 $x = \frac{n}{2}$	K1 N1	
	(c)		$n^2 - n\left(\frac{n}{2}\right) + \left(\frac{n}{2}\right)^2$ $\frac{3}{4}n^2$	K1 N1	

6	(a)	$4(1 - \sin^2 x) - 2\sin^2 x$ $1 + 3(1 - 2\sin^2 x)$ $3\cos 2x + 1$	K1 K1 N1	8
	(b)	Bentuk graf kosinus Amplitude = 3 (min = - 2, max =4) 2 kitar untuk $0 \leq x \leq 2\pi$ Anjakan 1 unit ke atas 	P1 P1 P1 P1	
	(c)	min = - 2, max =4	N1	
7	(a)	$\tan \theta = \frac{9}{5}$ $\theta = 1.064$	K1 N1	7
	(b)	$\frac{1}{2}(9)^2 \left(\frac{3.142}{2} \right)$ atau $\frac{1}{2}(9)(5)$ atau $\frac{1}{2}(14)^2 (1.064)$ $A = \frac{1}{2}(14)^2 (1.064) - \frac{1}{2}(9)^2 \left(\frac{3.142}{2} \right) - \frac{1}{2}(9)(5)$ $B = \frac{1}{2}(9)^2 \left(\frac{3.142}{2} \right) - \frac{1}{2}(9)(5)$ A+ B 59.272	K1 K1 K1 N1	

BAHAGIAN B						
8	(a)	$\overrightarrow{TU} = \frac{2}{3}(\overrightarrow{TR} + \overrightarrow{RS})$ atau $\overrightarrow{RU} = \overrightarrow{RT} + \overrightarrow{TU}$		K1	10	
		$-4\tilde{x} + \frac{8}{3}\tilde{y}$		N1		
		$2\tilde{x} + \frac{8}{3}\tilde{y}$		N1		
	(b)	$2\tilde{x} + \frac{8}{3}\tilde{y} = \lambda(3x + 4y)$		K1		
		$3\lambda = 2$ dan $4\lambda = \frac{8}{3}$		K1		
		$\lambda_1 = \lambda_2 = \frac{2}{3}$		K1		
$\overrightarrow{RU} = \frac{2}{3}\overrightarrow{RV}$ segaris		N1				
(c)	(i)	$\frac{24}{2} = 12$	N1			
	(ii)	$\frac{1}{2}(6 \times 2)t = 24$ atau $\frac{1}{2}(3 \times 2)t = 12$		K1		
		4		N1		
9	(a)	(i)	${}^8C_0(0.3)^0(0.7)^8$ atau ${}^8C_1(0.3)^1(0.7)^7$ atau mana ² kombinasi	K1	10	
			$1 - {}^8C_0(0.3)^0(0.7)^8 - {}^8C_1(0.3)^1(0.7)^7$	K1		
			0.7447	N1		
		(ii)	$168 = n(0.3)(0.7)$	K1		
	800		N1			
	(b)	(i)	$\frac{580 - 600}{40} = -0.5$	P1		
			$P(Z > -0.5) = 1 - 0.3085$	K1		
			0.6915	N1		
(ii)		$\frac{m - 600}{40} = 0.7$	K1			
$10\frac{7}{15}$ jam		N1				
10	(a)	(i)	$a = 2$	N1		
		(ii)	$\frac{x^4}{4} - 8x$			K1
						K1

		Gantikan had $(0 \rightarrow 2)$ atau $(2 \rightarrow 4)$ kedalam $\frac{x^4}{4} - 8x$ $-12 + 32 - (-12)$ 56	K1 N1	10														
	(b)	$\pi(4)^2 p$ atau $\frac{3y^2}{2}$ Gantikan had $(0 \rightarrow p)$ kedalam $\frac{3y^2}{2}$ $\left[\pi(4)^2 p \right] - \pi \left[\frac{3y^2}{2} \right]_0^p = \frac{69}{2} \pi$ $(3p - 23)(p - 3) = 0$ $p = 3$	K1 K1 K1 K1 N1															
11	(a)	<table><tr><td>$y\sqrt{x}$</td><td>-1.28</td><td>0.03</td><td>0.83</td><td>1.72</td><td>2.69</td><td>3.72</td></tr><tr><td>$x\sqrt{x}$</td><td>0.09</td><td>0.25</td><td>0.35</td><td>0.46</td><td>0.59</td><td>0.72</td></tr></table>	$y\sqrt{x}$	-1.28	0.03	0.83	1.72	2.69	3.72	$x\sqrt{x}$	0.09	0.25	0.35	0.46	0.59	0.72	N1 N1	10
$y\sqrt{x}$	-1.28	0.03	0.83	1.72	2.69	3.72												
$x\sqrt{x}$	0.09	0.25	0.35	0.46	0.59	0.72												
	(b)	Rujuk graf Graf garis lurus $y\sqrt{x}$ melawan $x\sqrt{x}$ dilukis - Paksi-paksi betul dan skala seragam - Sekurang-kurang satu* titik diplot betul - Guna data yang diberi dalam soalan 6* titik diplot dengan betul Garis lurus penyuaian terbaik Sekurang-kurangnya -5 * titik diplot -* Jadual dalam 2 tempat perpuluhan K1 N1 N1																

	(c)	(i)	$y\sqrt{x} = mx\sqrt{x} + n$ $m = 8$ $n = -2$	P1 N1 N1	
		(ii)	$x\sqrt{x} = 0.5$ $x = 0.63$	N1 N1	
BAHAGIAN C					
12	(a)		$\frac{8.40}{x} \times 100 = 105$ 8	K1 N1	10
	(b)		$\frac{y+1.5}{y} \times 100 = 120$ $y = 7.50$ $z = 9$	K1 N1 N1	
	(c)	(i)	$\frac{P_{2023}}{35.60} \times 100 = 112.92$ 40.20	K1 N1	
		(ii)	$\frac{(105 \times 5) + (120 \times 3) + (120m) + (110 \times 1)}{5 + 3 + m + 1} = 112.92$ 3	K1K1 N1	
13	(a)		$\frac{\sin 55}{CD} = \frac{\sin 70}{12}$ 10.46	K1 N1	10
	(b)		$AD^2 = 6.8^2 + 10.46^2 - 2(6.8)(10.46)\cos 38^\circ$ 6.599	K1 N1	
	(c)		$\frac{1}{2}(6.8)(10.46)\sin 38^\circ$ 21.90	K1 N1	
	(d)		$\sin 55^\circ = \frac{DM}{10.46}$ $AM = \sqrt{6.8^2 - 6^2}$ $6.599^2 = 3.2^2 + 8.568^2 - 2(3.2)(8.568)\cos \theta$ 43°	K1 K1 K1 N1	
14	(a)		$2pt - 5$ $2p(2) - 5 = 15$ 5	K1 K1 N1	10

	(b)	$10t - 5 < 0$ $0 \leq t < \frac{1}{2}$	K1 N1	
	(c)	$5t^2 - 5t = 0$ dan selesaikan $t = 0$ dan $t = 1$	K1 N1	
	(d)	$\frac{5t^3}{3} - \frac{5t^2}{2}$ $\left \left(\frac{5(1)^3}{3} - \frac{5(1)^2}{2} \right) - 0 \right + \left[\left(\frac{5(3)^3}{3} - \frac{5(3)^2}{2} \right) - \left(\frac{5(1)^3}{3} - \frac{5(1)^2}{2} \right) \right]$ $24\frac{1}{6}$	K1 N1	
	(d)			
15	(a)	I : $3x + 4y \leq 360$ II : $y \leq 2x$ III : $x - y \leq 20$	N1 N1 N1	
	(b)	 Lukis dengan betul sekurang-kurangnya 1 garis ketaksamaan Lukis dengan betul kesemua garis ketaksamaan Lorekaan rantau R yang betul	K1 N1 N1	
	(c)	(i)	65 biji sosej daging	N1
		(ii)	Lukis garis fungsi objektif 62 biji sosej ayam 43 biji sosej daging	K1 N1 N1